

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3	(block with access\$4 with table) and lru and lfu and "711"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 10:26
L2	5837	((716/1-2) or (711/133,136,141,147,152,154,159-160,163)).CCLS.	USPAT	OR	OFF	2005/06/07 10:27
L3	8110	((716/1-2) or (711/133,136,141,147,152,154,159-160,163)).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/06/07 10:27
S65	4025	(716/1-2,4-5).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/06/07 06:26
S66	81057	memory with utiliz\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 06:34
S67	556	S66 and "716"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 06:27
S68	295	S65 and S66	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 06:27
S69	19	S68 and access\$4 with table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 09:21
S70	475007	memory with (utiliz\$6 use\$2 or usage\$2 or optimiz\$6 or efficien\$4 or minimiz\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 06:36
S71	2793	S70 and "716"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 06:36
S72	1451	S70 and S65	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 06:37

S73	1342	S71 not S72	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 06:37
S74	1257	S72 and block	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 06:37
S75	109	S72 and block with load\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 07:02
S76	44566	(\$4determined or \$4determining or \$4predetermination or \$3define or \$4defining) with (max\$5 or limit or us\$4 or space or amount or block or area) with memory	USPAT	OR	OFF	2005/06/07 07:04
S77	76825	(\$4determined or \$4determining or \$4predetermination or \$3define or \$4defining) with (max\$5 or limit or us\$4 or space or amount or block or area) with memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/07 07:05
S78	81561	(\$4determined or \$4determining or \$4predetermination or \$3define or \$4defining) with (max\$5 or limit or us\$4 or space or amount or block or area) with memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 07:21
S79	2694	S78 and access near3 table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 07:06
S80	251	S78 and access near3 table and block near3 load\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 07:07
S81	61	S80 and ("711"/\$.ccls. or "716"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 07:07
S82	779	(pre?determin\$3 pre?defin\$3) with (max\$4 or space or area or limit or us\$4 or utiliz\$5) with memor\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 07:24

S83	33907	("716"/\$.ccls. or "711"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 07:24
S84	75	S82 and S83	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/07 07:24